

WOOD

LogWIN Klassik

1/2 m wood gasification boiler

For small and large houses

Nominal thermal output: 18, 25, 30 kW

windhager

HEAT WITH VISION



ECONOMICAL, VARIABLE
AND ROBUST

**Economical,
variable
and robust**



The low cost allrounder for wood heating

The new LogWIN Klassik wood gasification boiler offers impressive comfort levels and efficient wood burning.

The patented combustion chamber and LambdaTherm combustion control in the LogWIN Klassik ensures clean and efficient operation. For outstanding convenience, the wood gasification boiler is equipped with an attachable ash tray and refill information is shown on the operating module in the living room. Suitable for split logs up to 50 cm in length.



- Fully adjustable flue connection
- 3 modulating performance levels
- Patented modular combustion chamber

Illustration



LogWIN Klassik helps save money

Your LogWIN Klassik is the low cost allrounder amongst wood gasification boilers and really impresses with combined output and combustion control. The high boiler efficiency, consumes minimal wood and requires up to 60% less electricity compared with other wood gasification boilers. We recommend the automatic ignition as an option for added convenience and your home remains pleasantly warm even if you are out for long periods.

Flexible and simple

The fully adjustable flue connection (upwards as standard or to the side as an option) and space-saving floorspace makes the wood gasification boiler incredibly flexible and perfect for renovations. The LogWIN Klassik will fit through a 70 cm door.

Robust design

The durable combustion chamber and quality steel boiler body ensures efficient operation for many years.

LogWIN Klassik		LWK 180	LWK 250	LWK 300
Nominal thermal output	kW	18	25	30
Filling chamber volume	l	145	145	145
Transport weight approx.	kg	438	438	438
Installation dimensions W x D x H (without cladding)	mm	600 x 965 x 1,480		
Boiler dimensions W x D x H (without cladding)	mm	654 x 1,097 x 1,502		
Diameter of flue gas tube connection	mm	130		
Flue gas tube connection height at top left (with adapter) right (with adapter)	mm	1,405 min. 1,293 min. 1,113		

Austria

Windhager Zentralheizung GmbH
Anton-Windhager-Straße 20
A-5201 Seekirchen bei Salzburg
T. +43 (0) 62 12/23 41-0
F. +43 (0) 62 12/42 28
info@at.windhager.com

Windhager Zentralheizung GmbH
Carlberggasse 39
A-1230 Wien

Windhager Zentralheizung GmbH
Tiroler Straße 25
A-6424 Silz

Germany

Windhager Zentralheizung GmbH
Deutzing 2
D-86405 Meitingen bei Augsburg
T. +49 (0) 82 71/80 56-0
F. +49 (0) 82 71/80 56-30
info@de.windhager.com

Windhager Zentralheizung GmbH
Heinrich-Rudolf-Hertz-Straße 2
D-04509 Delitzsch bei Leipzig

Windhager Zentralheizung GmbH
Gewerbepark 18
D-49143 Bissendorf

Switzerland

Windhager Zentralheizung Schweiz AG
Industriestrasse 13
CH-6203 Sempach-Station bei Luzern
T. +41 (0) 41/469 469-0
F. +41 (0) 41/469 469-9
info@ch.windhager.com

Windhager Zentralheizung Schweiz AG
Rue des Champs Lovats 23
CH-1400 Yverdon-les-Bains

Windhager Zentralheizung Schweiz AG
Dorfplatz 2
CH-3114 Wichtrach

France

Windhager Chauffage Central
France S.A.S.
1, rue du Maire Georges Baruch
Z.A.C. Nord du Rosenmeer
F-67560 Rosheim
T. +33 (0) 3 88 81 82 17
F. +33 (0) 3 88 95 81 85
info@fr.windhager.com

Italy

Windhager Italia S.R.L.
Via Ungheresca sud
I-31010 Marenno di Piave (TV)
T. +39 04 38/49 91 43
F. +39 04 38/49 78 84
info@windhager.it

United Kingdom

Windhager UK Ltd
Tormarton Road
Marshfield
South Gloucestershire, SN14 8SR
T. +44 (0) 12 25/89 22 11
info@windhager.co.uk

windhager.com

Publication details

Media owner, issuer and publisher:
Windhager Zentralheizung GmbH,
Anton-Windhager-Straße 20
5201 Seekirchen am Wallersee, Österreich,
T. +43 (0) 6212/23 41-0, F. +43 (0) 6212/42 28
info@at.windhager.com
Photos: iStockphoto

We reserve the right to modifications
and layout and printing errors.

Your expert PARTNER

